


CLINICAL EEG

ELECTROENCEPHALOGRAPHY



Author and Subject Index Volume 30, 1999

Index of Authors

- | | | | |
|-------------------------------|--------------------------------------|------------------------------|-------------------------------|
| Agljo, Linda S., 53 | Fukunaga, T., 136 | Loscalzo, M., 132 | Saka, Esen, 118 |
| Ahmed, Iftexhar, 21 | Gabriel, Roger, 143 | Machado, Calixto, 156 | Sangal, JoAnne M., 28, 73 |
| Aranki, Sary, 53 | Geocadin, Romergryko J., 99 | Maddi, Rosemarie, 53 | Sangal, R. Bart, 28, 73 |
| Aubert, Eduardo, 46 | Gibbs, C.J., 132 | Mahoney, Colleen, 64 | Saygi, Serap, 118 |
| Bartel, P., 35 | Gökyiğit, Ayşen, 106 | Marosi, Erzsébet, 46 | Schutte, C.-M., 35 |
| Baykan-Kurt, Betül, 106 | Gugino, Laverne D., 53 | Martínez-Lopez, Manuel, 46 | Shaikh, Ilyas A., 5 |
| Becker, P., 35 | Gürses, Candan, 106 | Masumura, T., 39 | Shaw, Gordon L., 143, 151 |
| Belisle, Cynthia, 28, 73 | Haché, Natalie, 64 | Matsuki, Akitomo, 79 | Sherman, David L., 99, 175 |
| Bernad, P. G., 132 | Hanley, Daniel F., 99, 175 | McAnulty, Gloria B., 84 | Shinomiya, S., 39, 136 |
| Bodner, Mark, 143, 151 | Hansen, H. Christian, 99 | Melyn, Michelle A., 44 | Silva, Juan, 46 |
| Bosch, Jorge, 46 | Harmony, Thalia, 46 | Mendis, Tilak, 64 | Soyer, A., 132 |
| Brambrink, Ansgar M., 175 | Hertz, Sharon, 12, 114 | Menoni, Rosalinda, 9 | Stockley, Herb, 165 |
| Casián, Gustavo, 46 | Hughes John R., 16, 44, 94, 111, 126 | Mochizuki, Y., 76 | Struve, Frederick A., 24, 122 |
| Chabot, Robert J., 53 | Ichord, Rebecca N., 175 | Mohr, Erich, 64 | Swanson, James, 143 |
| Chayasirisobhon, Sirichai, 9 | John, E.R., 94 | Moore, N., 94 | Takahashi, K., 39 |
| Chayasirisobhon, Wuttichai, 9 | Johnson, Julene K., 143 | Murias, Michael, 143 | Thakor, Nitish V., 175 |
| Daaboul, Yaman, 16 | Kaplan, Peter W., 1 | Nagata, K., 39, 136 | Thatcher, R. W., 94 |
| Dasika, Vasant K., 175 | Kinay, Demet, 106 | Niedermeyer, E., 12, 99, 114 | Thirstrup, Larry L., 122 |
| Dekkers, Renee, 53 | Klein, A.E., 132 | Nowack, William J., 5 | Thuras, Paul, 165 |
| Duffy, Frank H., 84, 94 | Knott, Verner, 64 | Oishi, M., 76 | Traystman, Richard J., 175 |
| Elilbol Bülent, 118 | Koehler, Raymond C., 175 | Parman, Yeşim, 106 | Trudeau, David L., 165 |
| Fernández, Thalia, 46 | Krieger, M., 94 | Patrick, Gloria, 24, 122 | Valdés, Pedro, 46 |
| Fernández-Bouzas, Antonio, 46 | Kudoh, Akira, 79 | Payne, D. Keith, 122 | van der Meyden, C., 35 |
| Fino, John J., 44 | Locke, George E., 9 | Reeves, Roy R., 24, 122 | Waber, Deborah P., 84 |
| | | Ribeiro, Marcia, 12, 114 | Zalcita, Miguel L., 126 |

Index of Subjects

- Absence seizures** and, eye closure related to spike and wave discharges, 106-110
 —frontal arousal rhythm, 16-20
 —intravenous valproate with generalized nonconvulsive status epilepticus, 1-4
 —relationship of 3/second and 6/second spike and wave complexes, 111-113
- Age factor** and, epilepsy in the elderly compared to a younger group, 126-131
 —frontal arousal rhythm, 16-20
 —sleep spindles in children and adolescents, 39-43
- Alcoholism** and, epilepsy in the elderly compared to a younger group, 126-131
 —frontal lobe atrophy, with central motor conduction time, 76-78
 —mixed-type encephalopathies, 12-15
 —stimulant and cannabis abuse and ADHD in adults, with QEEG, 165-174
- Alpha coma** and, burst-suppression pattern, 99-105
- Alpha rhythm** and, third rhythm of the temporal lobe, 136-142
- Alzheimer's disease** and, EEG and the passive P300, 64-72
- Amplitude, EEG,** and, the elderly compared to a younger group, 126-131
- Anesthesia** and, AEP with droperidol, ketamine and fentanyl, 79-83
 —burst-suppression EEG, 99-105
 —mixed-type encephalopathies, 12-15
- Animal model** and, QEEG during recovery from hypoxic-ischemic injury in immature piglets, 175-183
- Anoxia** and, burst-suppression pattern, 99-105
 —mixed-type encephalopathies, 12-15
 —QEEG in immature piglets, 175-183
- Arousal rhythm** and, frontal area, 16-20
- Atrophy, brain,** and frontal lobe in chronic alcoholics, with central motor conduction time, 76-78
- Attention deficit hyperactivity disorder** and, frontal arousal rhythm, 16-20
 —stimulant and cannabis abuse in adults, with QEEG, 165-174
- Auditory evoked potentials** and, caffeine withdrawal, 24-27
 —chronic obstructive pulmonary disease, 122-125
 —intravenous anesthesia, 79-83
 —narcolepsy, 28-32
 —tones in children grouped by reading or matrices abilities, 84-93
 —See also Evoked potentials
- Background rhythm** and, the elderly compared to a younger group, 126-131
 —See also Alpha coma and Alpha rhythm
- Beta blocker therapy** and, migraine, contingent negative variation, 21-23
- Book reviews,** No. 1, V, VI
- Brain death** and, burst-suppression EEG, 99-105
 —consciousness, a definition of death, 156-164
- Brain lesions** and, atrophy in chronic alcoholics, 76-78
 —epilepsy in the elderly compared to a younger group, 126-131
 —neurocysticercosis, 9-11
 —sources of abnormal EEG activity, 46-52
 —third rhythm of the temporal lobe, 136-142
- Breach rhythm** and, third rhythm of the temporal lobe, 136-142
- Burns** and, mixed-type encephalopathies, considerations, 12-15
- Burst episodes** and, hypoxic-ischemic injury in immature piglets, 175-183
- Burst-suppression** and, patterns and causes, 99-105
- Caffeine** and, P300 evoked potentials, with withdrawal, 24-27
- Cannabis abuse** and, stimulant abuse and ADHD in adults with QEEG, 165-174
- Cardiopulmonary bypass** and, QEEG changes during surgery and relationship to postoperative neuropsychological function, 53-63
- Central motor conduction time** and, frontal lobe atrophy in chronic alcoholics, 76-78
- Centroparietal location** and, development of sleep spindles in children, 39-43
- Cerebrospinal fluid analysis** and Creutzfeldt-Jacob disease, 34, 132-135
- Cerebrovascular disorder** and, epilepsy in the elderly compared to a younger group, 126-131
 —mixed-type encephalopathies, 12-15
 —slow sharp waves, 114-117
 —third rhythm of the temporal lobe, 136-142
- Children** and, AEP, grouped by reading and matrices abilities, 84-93
 —development of sleep spindles, 39-43
 —frontal arousal rhythm, 16-20
- Circling seizures** and, Wilson's disease, 118-121
- Cocaine** and, stimulant and cannabis abuse and ADHD in adults, with QEEG, 165-174
- Cognitive dysfunction** and, Alzheimer's disease, EEG and P300, 64-72
 —chronic obstructive pulmonary disease, EP, 122-125
 —intravenous anesthesia, AEP, 79-83
 —mixed-type encephalopathies, 12-15
 —QEEG during cardiopulmonary bypass, 53-63
- Coma** and, burst-suppression EEG, 99-105
 —consciousness, definition of death, 156-164
 —viral and nonviral meningitis, QEEG, 35-38

- Complex partial seizures** and, the elderly compared to a younger group, 126-131
—electroclinical changes with status epilepticus, 5-8
- Consciousness** and, definition of death, its appeal and complexity, 156-164
—mixed-type encephalopathies, 12-15
—slow sharp waves, 114-117
—See also Coma
- Contingent negative variation** and, migraine, effect of beta blocker therapy, 21-23
- Creutzfeldt-Jakob disease** and, EEG and cerebrospinal fluid analysis, diagnosis, 34, 132-135
- Cysts** and, EEG in neurocysticercosis, 9-11
- Deafferented cortex** and, burst-suppression pattern, 99-105
- Death** and, consciousness, a definition, its appeal and complexity, 156-164
—mixed-type encephalopathies, 12-15
- Delirium** and, mixed-type encephalopathies, 12-15
—See also Consciousness
- Delta activity** and, burst-suppression pattern, 99-105
—sources of abnormal EEG in brain lesions, 46-52
—viral and nonviral meningitis, IRDA, 35-38
—See also Slow activity
- Dementia** and, Creutzfeldt-Jakob disease with EEG and cerebrospinal fluid analysis, 132-135
—passive P300, in Alzheimer type, 64-72
- Dreams** and, AEP during intravenous anesthesia, 79-83
- Droperidol** and, AEP during total intravenous anesthesia, 79-83
- Drugs** and, beta blocker therapy and migraine, 21-23
—droperidol, ketamine, fentanyl and AEP during anesthesia, 79-83
—epilepsy in elderly and younger adults, 126-131
—modafinil and P300 in narcolepsy, 28-32
—stimulant and cannabis abuse, QEEG, 165-174
—valproate and generalized nonconvulsive status epilepticus, 1-4
—See also Alcoholism
- Dyslexia** and, AEP in children grouped by reading or matrices abilities, 84-93
- Edema**, cerebral, and, sources of abnormal EEG activity in brain lesions, 46-52
- Elderly persons** and, epilepsy compared to a younger group, 126-131
- Encephalopathy** and, frontal lobe atrophy, 76-78
—preliminary considerations in mixed-type, 12-15
- Epilepsy**, See Seizures
- Epworth Sleepiness Scale** and, sleep apnea, 73-78
- Event-related potentials**, See Evoked potentials
- Evoked potentials** and, caffeine withdrawal, P300, 24-27
—chronic obstructive pulmonary disease, P300, 122-125
—dementia of the Alzheimer type, passive P300, 64-72
—intravenous anesthesia with droperidol, ketamine and fentanyl, AEP, 79-83
—narcolepsy, P300, 28-32
—tones in children grouped by reading or matrices abilities, AEP, 84-93
- Eye closure** and, spike and wave discharges, 106-110
- Fentanyl** and, AEP during total intravenous anesthesia, 79-83
- Frequency domain sources** and, brain lesions, 46-52
- Frontal lobe location** and, arousal rhythm, 16-20
—atrophy in chronic alcoholics, with central motor conduction time, 76-78
—circling seizures in a case of Wilson's disease, 118-121
—development of sleep spindles in children, 39-43
—epilepsy in the elderly compared to a younger group, 126-131
—Mozart effect, 44-45
- Gender** and, epilepsy in the elderly compared to a younger group, 126-131
—frontal arousal rhythm, 16-20
- Generalized nonconvulsive status epilepticus** and, intravenous valproate treatment, 1-4
- Generalized tonic-clonic seizures** and, the elderly compared to a younger group, 126-131
—See also Seizures
- Genetic basis** and, epilepsy with eye closure related to spike and wave discharges, 106-110
- Glasgow Coma Scale** and, viral and nonviral meningitis, with QEEG, 35-38
- Headache** and, migraine with contingent negative variation, effect of beta blocker therapy, 21-23
- Head injury** and, epilepsy in a younger group compared to the elderly, 126-131
—QEEG, rebuttal of AAN 1997 report by ECNS, 94-98
- Hypersomnia** and, P300 with narcolepsy, 28-32
- Hypoxic-ischemic injury** and, QEEG in immature piglets, 175-183
- Intermittent rhythmic delta activity** and, viral and nonviral meningitis, 35-38
- Isolated cortex** and, burst-suppression pattern, 99-105
- Juvenile myoclonic epilepsy** and, eye closure related to spike and wave discharges, 106-110
- Ketamine** and, AEP during total intravenous anesthesia, 79-83
- Language** and, AEP in children grouped by reading or matrices abilities, 84-93
- Learning disorders** and, AEP in children grouped by reading or matrices abilities, 84-93
—frontal arousal rhythm, 16-20
- Lennox-Gastaut syndrome** and, chronic change of the Mozart effect on epileptiform activity, 44-45
- Lethargy** and, mixed-type encephalopathies, 12-15
- Magnetic stimulation** and, frontal lobe atrophy in chronic alcoholics, 76-78
- Maintenance of Wakefulness Test** and, sleep apnea, 73-78

- Medical-legal issues** and, QEEG in traumatic brain injury, rebuttal of AAN 1997 report by ECNS, 94-98
- Memory** and, AEP during intravenous anesthesia, 79-83
 —passive P300 in Alzheimer's disease, 64-72
 —QEEG changes during cardiopulmonary bypass, relationship to postoperative neuropsychological function, 53-63
 —See also Cognitive dysfunction
- Meningitis** and, viral and nonviral, with visually analyzed and QEEG, 35-38
- Metabolic encephalopathies** and, mixed-type encephalopathies, 12-15
 —slow sharp waves, 114-117
- Migraine** and, contingent negative variation, effect of beta blocker therapy, 21-23
- Modafinil** and, P300, with narcolepsy, 28-32
- Mozart effect** and, epileptiform activity, chronic change, 44-45
 —spatial-temporal reasoning towards a neurophysiological basis using EEG, 151-155
 —SYMMETRIC analysis in EEG data, 143-150
- Mu rhythm** and, third rhythm of the temporal lobe, 136-142
- Music**, See Mozart effect
- Myoclonic seizures** and, eyelid myoclonia with spike and wave discharges, 106-110
- Narcolepsy** and, evoked potentials, P300, 28-32
- Neurocysticercosis** and, EEG correlation, 9-11
- Neurometric analysis** and, QEEG changes during cardiopulmonary bypass, 53-63
 —See also Normative databases
- Neuropsychiatric disorders** and, transcranial magnetic stimulation, 33
 —See also Psychiatric disorders
- Neuropsychological function** and, cardiopulmonary bypass, postoperative, 53-63
 —See also Normative databases
- Normative databases** and, QEEG in adults with chronic stimulant and cannabis abuse and ADHD, 165-174
 —spatial-temporal reasoning and music, 151-155
 —spatial-temporal reasoning and SYMMETRIC analysis, 143-150
- Periodic discharges** and, Creutzfeldt-Jakob disease, 132-135
- Periodic lateralized epileptiform discharges** and, the elderly compared to a younger group, 126-131
- Photoc stimulation** and, eye closure related spike and wave discharges, 106-110
- Polysomnography** and, ESS and MWT indices of sleepiness in sleep apnea, 73-78
- Prion** and, Creutzfeldt-Jacob disease, 132-135
- Psychiatric disorders** and, chronic stimulant and cannabis abuse, 165-174
 —transcranial magnetic stimulation, 33
- Pulmonary disease** and, cognitive evoked responses, 122-125
- Quantitative EEG** and, AEP in children grouped by reading or matrices abilities, 84-93
 —cardiopulmonary bypass, postoperative neuropsychological function, 53-63
 —dementia of the Alzheimer type, with passive P300, 64-72
 —hypoxic-ischemic injury in immature piglets, 175-183
 —stimulant and cannabis abuse and ADHD in adults, 165-174
 —traumatic brain injury, rebuttal of AAN 1997 report by ECNS, 94-98
 —viral and nonviral meningitis, 35-38
- Race** and, frontal arousal rhythm, 16-20
 —stimulant and cannabis abuse and ADHD, with QEEG, 165-174
- Reading** and, AEP in children grouped by reading or matrices abilities, 84-93
- Seizures** and, chronic change of the Mozart effect on epileptiform activity, 44-45
 —circling in a case of Wilson's disease, 118-121
 —complex partial status epilepticus, 5-8
 —EEG rhythmicity, 33
 —elderly and a younger group, 126-131
 —eye closure related spike and wave discharges, 106-110
 —frontal arousal rhythm, 16-20
 —intravenous valproate with generalized nonconvulsive status epilepticus, 1-4
 —mixed-type encephalopathies, 12-15
 —neurocysticercosis, 9-11
 —relationship of 3/sec and 6/sec spike and wave complexes, 111-113
- Sharp waves** and, Creutzfeldt-Jakob disease, 34, 132-135
 —elderly compared to a younger group, 126-131
 —frontal arousal rhythm, 16-20
 —slow activity, correlations, 114-117
 —See also Spikes
- Six/second spike and wave complexes** and, relationship to 3/second component, 111-113
- Sleep** and, apnea with ESS and MWT indices of sleepiness, 73-75
 —EEG in the elderly compared to a younger group, 126-131
 —mixed-type encephalopathies, 12-15
 —narcolepsy, with P300, 28-32
 —spindles, development in children and adolescents, 39-43
- Slow activity** and, brain lesions, sources, 46-52
 —burst-suppression pattern, 99-105
 —circling seizures in Wilson's disease, 118-121
 —dementia of the Alzheimer type, 64-72
 —elderly compared to a younger group, 126-131

- frontal arousal rhythm, 16-20
- mixed-type encephalopathies, 12-15
- neurocysticercosis, 9-11
- sharp waves, 114-117
- viral and nonviral meningitis, 35-38
- Slow sharp waves** and, electroclinical correlation, 114-117
- Space occupying lesions**, See Brain lesions
- Spatial-temporal reasoning** and, music, towards a neurophysiological basis using EEG, 151-155
 - SYMMETRIC analysis in EEG data, 143-150
- Spike and wave complexes** and, chronic change of the Mozart effect, 44-45
 - elderly compared to a younger group, 126-131
 - eye closure, 106-110
 - frontal arousal rhythm, 16-20
 - generalized nonconvulsive status epilepticus and intravenous valproate, 1-4
 - relationship of 3/sec component and 6/sec spike and wave complexes, 111-113
- Spikes** and, chronic change of the Mozart effect, 44-45
 - complex partial status epilepticus, progression of changes, 5-8
 - Creutzfeldt-Jakob disease, 132-135
 - elderly compared to a younger group, 126-131
 - neurocysticercosis, 9-11
 - nonconvulsive generalized seizures, with intravenous valproate, 1-4
 - third rhythm of the temporal lobe, 136-142
- Status epilepticus**, and, complex partial, progression of electroclinical changes, 5-8
 - nonconvulsive, with intravenous valproate, 1-4
- Stimulant abuse** and, cannabis and ADHD in adults, with QEEG, 165-174
- Surgical procedures** and, mixed-type encephalopathies, 12-15
 - QEEG changes during cardiopulmonary bypass, relationship to postoperative neuropsychological function, 53-63
 - recovery from hypoxic-ischemic injury in piglets, 175-183
 - third rhythm of the temporal lobe, 136-142
- SYMMETRIC analysis** and, EEG data, a new method, 143-150
 - neurophysiological basis of specific music, 151-155
- Temporal localization** and, abnormality in the elderly compared to younger group, with epilepsy, 126-131
 - clinical aspects of the third rhythm, 136-142
- Theta activity** and, frontal arousal rhythm, 16-20
 - sources of abnormal EEG in brain lesions, 46-52
 - See also Slow activity
- Third rhythm** and, temporal lobe, clinical aspects, 136-142
- Three/second spike and wave discharges** and, eye closure seizures, 106-107
 - relationship to 6/sec spike and wave, 111-113
 - valproate with status epilepticus, 1-4
- Topography, brain**, and, AEP in children grouped by reading or matrices abilities, 84-93
 - See also QEEG
- Transcranial magnetic stimulation** and, neuropsychiatric disorders, 33
- Traumatic brain injury** and, epilepsy in the elderly compared to a younger group, 126-131
 - QEEG, rebuttal of AAN 1997 report by ECNS, 94-98
- Trion model** and, spatial-temporal reasoning towards a neurophysiological basis using EEG, 151-155
 - SYMMETRIC analysis in EEG, 143-150
- Tumor, brain**, and, epilepsy in the elderly compared to a younger group, 126-131
 - sources of abnormal EEG activity, 46-52
 - third rhythm of the temporal lobe, 136-142
- Valproate** and, generalized nonconvulsive status epilepticus, 1-4
- Vigilance** and, mixed-type encephalopathies, 12-15
 - See also Cognitive Dysfunction and Consciousness
- Visual evoked potentials** and, caffeine withdrawal, 24-27
 - chronic obstructive pulmonary disease, 122-125
 - narcolepsy, 28-32
 - See also Evoked potentials
- Wicket spikes** and, third rhythm of the temporal lobe, 136-142
- Wilson's disease** and, circling seizures, 118-121
- Zeta waves** and, slow sharp waves, correlations, 114-117